



Landscaping Solutions

Providing innovative, quality design for both
commercial and domestic landscape projects



Landscaping Solutions

Why Celuplast?

Celuplast supply a diverse range of landscape solutions to meet your needs.

All our products offer quick and simple installation combined with low maintenance, leaving you more time to spend enjoying your garden and less time working in it!

Slip resistant



Low maintenance





Quick and
easy to install



Durable and
eco-friendly
solutions



Non-slip, durable,
safe surface



Composite Decking



The high-performance, durable and slip resistant alternative to traditional timber decking.

- ◆ Better. Does not rot, unlike timber decking, weather resistant and easy to clean.
- ◆ Faster. Quick and easy to install.
- ◆ Safer. Durable, slip resistant, split and splinter-free surface.
- ◆ Choice of grooved or woodgrain effect finishes in three colours.
- ◆ Low maintenance and environmentally friendly.
- ◆ Hidden fixing system.

Have more time to do what you love on a composite deck. A high-performance, eco-friendly wood alternative, that offers the warmth and appeal of natural hardwood without all the time and expense of regular maintenance.

Choose from a range of colours and finishes to suit your style and budget. Finishes can be 'mix and matched' or reversed after a period of time.

Composite Decking is slip resistant, splinter-free and very low maintenance with no requirement for annual treatment or oiling to keep that 'just installed' look.

Deck boards are quick and easy to fix using the supplied grab clips - a simple 2-step operation.

Suelo and Estándar Decking

Suelo double-sided hollow deck boards, woodgrain and narrow ribbed, available in charcoal, grey and brown: 146 mm x 25 mm x 3.6 m.

Estándar double-sided hollow deck boards, wide and narrow ribbed, available in charcoal, grey and brown: 146 mm x 22 mm x 3.6 m.



Water Resistant



Natural Look and Feel



Quick and Easy Installation



Slip Resistant



Easy to Clean and Maintain



Eco-friendly Solution



Suelo Grey
Woodgrain

“An end to deck maintenance with a reversible finish, and unlike timber decking, it does not rot.”

Primero Deck

Primero Deck is a double-sided decking board coming in both light and dark varieties with a different colour on either side.

The Primero range has a ‘B’ fire rating which is defined as highly resistant to flame spread.

Hollow deck boards:
138 mm x 23mm x 3.6m.




Primero Dark
Brown

Primero Light
Beige

All images featured are representative only and whilst care has been taken to reproduce Guardian colours, due to limitations in the printing process, the images shown may not exactly match actual product.

Composite Decking Installation

Supplied complete with stainless steel fixings for quick and easy installation, and with a colour coded edging and fascia trim available for that finishing touch.



Before you start

- ◆ Allow Composite Decking to acclimatise for a minimum of 3 days, raised 100 mm off the ground ensuring that it is kept flat and dry.
- ◆ Celuplast recommends that installation conditions are stable and flat to avoid the possibility of the decking surface deforming.


Preparing the area

- ◆ Composite joists/keels must be laid on a solid surface such as concrete. Grass, uneven paving slabs or sand will cause movement and damage the installation.
- ◆ Celuplast recommends that you do not fix composite joists/keels directly to foundations and that joist/keel centres are no greater than 300 mm, except when fitting Composite Decking boards on the diagonal where we recommend that joist centres are 250 mm and you work from the centre out. If used above ground level we recommend 250 mm centres.
- ◆ When installing above ground level, consult with an engineer.
- ◆ Celuplast recommends that a drainage channel be included in the foundations to allow for the free flow of excess water. Drainage channels should be every 600-800 mm.


Installation

- ◆ A drainage slope along the length of the board of 0.5% or 5 mm per metre should be allowed to ensure sufficient water run-off.
- ◆ Composite Decking boards must have a 6 mm gap between each board, and must be fitted using Composite Decking electrophoretic coated grab deck clips and stainless steel screws. A minimum of 12 clips at 300 mm centres per 3.6 m length is recommended.
- ◆ Composite Decking stainless steel starter clips are recommended for securing the first line and the last line of decking boards with a minimum of 12 clips at 300 mm centres per 3.6 m length.


- ◆ Celuplast recommends the use of double joists under butt joints, with one clip each side of the butt joint and an 8 mm end to end gap for drainage and expansion.
- ◆ When butt jointed to walls, or other fixed objects, a 10 mm gap is required.
- ◆ Composite Decking boards should be 50 mm off the ground.
- ◆ Composite Decking boards must be supported along their length. The ends of boards must be supported and not have an overhang of more than 10 mm.
- ◆ When using pressure treated timber joists, Celuplast recommends that they are a minimum of 30 mm off the ground to allow air ventilation and water flow.
- ◆ Composite Decking Keel must be raised a minimum of 25 mm above a solid base.
- ◆ Celuplast does not recommend the use of composite deck where the space is walled in on all four sides.
- ◆ To ensure correct ventilation, Celuplast recommends deck boards are raised above the base with a minimum space of 70 mm to allow airflow under the deck to prevent build up of moisture.
- ◆ Recommended pedestal spacing is every 400 mm (or 10 per 3.6 m length) along 61 mm x 41 mm composite joists and every 450 mm (8 per 3.6 m length) when using 60 mm x 40 mm treated timber joists. Pedestals adjust from 35 mm to 60 mm.
- ◆ Post and deck rails should be fixed directly through the deck to the substructure, allowing for an expansion of 10 mm for seasonal movement.




1 Provide a minimum 10 mm gap between edge of decking and any adjacent wall. Allow 8 mm gap if deck boards run parallel to a wall.



2 Double joists under butt joints, with one clip each side of the butt joint. Provide a 20 mm gap between joists.





3 Minimum 8 mm end to end gap between butt jointed boards. This gap is important for drainage and to avoid expansion caused by long term immersion.



4 Composite Decking stainless steel fixing clips provide a secure fit and with the recommended 6 mm spacing of boards.



5 Composite Decking stainless steel starter clip fixed using 3 mm x 25 mm stainless steel screws.



6 10 mm maximum board end overhang from joists.




7 Composite Decking stainless steel fixing clip fixed using 3 mm x 25 mm stainless steel screws.




8 Alternative to joists: Composite Decking Keel fixed to height adjustable pedestals using 3 mm x 25 mm stainless steel screws.

Accessories



Colour matched Edging Trims - 40 mm x 40 mm



Colour matched Fascia Trims - Suelo 150 mm x 10 mm x 3.6 m and Estándar 130 mm x 10 mm x 3.6 m



Colour matched Composite Stair Edge - 157 mm x 31 mm x 3.6 m

- ◆ Composite Decking Keel must be supported at a maximum of 400 mm centres along its length and a maximum of 250 mm apart for Suelo deck.
- ◆ Composite Decking Keel should have a 20 mm gap when butt jointing end to end.
- ◆ Composite Decking Keel is non-structural and therefore must only be used on solid surfaces. A drainage slope of 0.5% or 5 mm per metre is required to ensure sufficient water run-off.



Colour matched Composite Lumber - 90 mm x 40 mm x 3.6 m



Composite Keels - 40 mm x 30 mm x 3.6 m and 61 mm x 41 mm x 3.6 m



Pack of 30 stainless steel Starter / End Clips

Cleaning made easy!


Composite Decking boards are low maintenance and to make cleaning even easier, we offer a high performance, non-abrasive Composite Decking Cleaner - specially developed by Celuplast in collaboration with Frogsuit®.

See page 31 for more details.



Height adjustable pedestals - 35 mm to 60 mm

Extension inserts - 25 mm, 50 mm and 100 mm



2.5 m² pack 50 Electrophoretic Coated Grab Deck Clips with 40 mm Torx Head wood screws and T15 bit



Stainless steel Fixing Clips

Composite Railing System

For looks that impress, and performance that endures, the Composite Railing System is the durable alternative to traditional timber ballustrading.

Complete the look of your decking with our Composite Rail system to complete the outdoor living space, adding both beauty and safety to your outdoor space.

- ◆ Better. Does not rot, unlike timber ballustrading, weather resistant and easy to clean.
- ◆ Faster. Quick and easy to install.
- ◆ Safer. Durable, split and splinter-free surface.
- ◆ Flat, 'sanded' effect finish available in grey, charcoal or brown to match our Suelo decking.
- ◆ Low maintenance.
- ◆ Hidden fixing system.
- ◆ Environmentally friendly.



Charcoal

All images featured are representative only and whilst care has been taken to reproduce Celuplast colours, due to limitations in the printing process, the images shown may not exactly match actual product.



Scuff and Stain Resistant



Water Resistant



Natural Look and Feel




Quick and Easy Installation



Easy to Clean and Maintain



Eco-friendly Solution



Installation

- ◆ Fit the post base to the sub-base (concrete or joists).
- ◆ Fit the posts to the post base.
- ◆ Fit the post covers.
- ◆ Fit 4 L-shaped brackets and position 2 base struts equally spaced along base rail (L-shaped brackets are fitted with the long angle fixed to the rails).
- ◆ Fit the base rail with 2 spindle mounts in position below the rail to accommodate the base struts.
- ◆ Fit 11 spindles into the factory-fitted spindle brackets mounted on the base rail.
- ◆ Fit the corresponding top hand rail then fit to the post.
- ◆ Finally, fit the post caps.



A 1.8 metre balustrade module consists of a single post assembly, top and bottom rails and 11 spindles, plus all struts brackets and fixings. Therefore an additional post assembly would normally be required to complete a run of balustrade.

Composite Fencing

Elegant modern composite fencing system that will enhance any garden.

Easily installed aluminium posts are available, featuring 4 separate slots to allow for multi-directional installation - straight, 90° or T-section.

Boards can be used as replacement panels with our unique composite post adaptor - simply slot the composite post adaptor into the concrete channel in existing concrete posts and slide the boards in place. Use in conjunction with the starter rail and finishing trim kit to complete the look.

Another unique development is our aluminium trim to allow you to install in front of existing neighbouring fencing using our top and bottom trim. Fix the aluminium trim into the concrete channel and insert the fence boards into the aluminium U-channel in conjunction with the starter rail and finishing trim kit.



Hollow fence boards available in grey, charcoal and brown with a woodgrain effect or grooved finish to both sides.



Natural Look and Feel



Quick and Easy Installation



Easy to Clean and Maintain




Eco-friendly Solution



- ◆ Better. Long-lasting and durable, will not rust or rot.
- ◆ Faster. Quick and easy to install.
- ◆ Safer. Strong, impact resistant, split and splinter-free.
- ◆ Woodgrain effect finish to both sides.
- ◆ Low maintenance - no additional oiling or painting required.
- ◆ Ideal for replacement panels or new build projects.
- ◆ Fade resistant (can fade up to 10% in the first 6-8-week period, thereafter stable).



Powder coated aluminium posts (1.88 m and 2.4 m height) and caps



Powder coated aluminium posts finishing trims



Fence board starter rail and finishing trim



Existing neighbouring fence adapter trim



All fixings and brackets supplied



Composite concrete post adapter (1.8 m height)

All images featured are representative only and whilst care has been taken to reproduce Celuplast colours, due to limitations in the printing process, the images shown may not exactly match actual product.


Outdoor Cladding Range

Celuplast offers a wide range of outdoor cladding options to meet the requirements of the customer.

Unlike traditional cladding materials such as timber, once installed, our entire cladding range does not require any regular maintenance and is resistant to damp, rot, decay, frost and attack from insects.

Castellated Cladding

- ◆ 170 mm or 205 mm height x 2,700 mm length.
- ◆ Can be installed vertically or horizontally.





Kerrafront Oak

- ◆ 332 mm height x 2950 mm length.
- ◆ Can be installed vertically or horizontally.
- ◆ Colour matched trims available for all boards (Malt Oak shown).



Alpine Oak

Concrete Oak

Malt Oak



Starter Trim

2-part External
Corner Trim

2-part Top
Edge Trim

2-part Centre
Joint Trim

Outdoor Cladding Range



Kerrafrost Modern Wood
Quartz Grey

Shiplap

◆ 150 mm height x 5000 mm length.



Celutex

◆ 300 mm height x 5000 mm length.





Kerrafront Modern Wood
Anthracite Grey Trend

Kerrafront Modern Wood

- ◆ 332 mm height x 6000 mm length.
- ◆ Colour matched trims available for all boards (Beige shown).



Anthracite
Grey Trend

Anthracite
Grey


Quartz Grey

Beige


Starter Trim




2-part External
Corner Trim



2-part Top
Edge Trim



2-part Centre
Joint Trim



2-part
Ventilation
Trim





Mont Alpi
Peak Performance

Outdoor Kitchens

The Mont Alpi range takes outdoor dining to another level.

Expertly crafted, the our outdoor kitchens are easy to use delivering the ultimate cooking experience demanded by seasoned BBQ users.

A versatile, robust and aesthetically pleasing range that suits all needs, making outdoor dining fun. A full range of accessories is available to complement your choice of kitchen.

You don't have to be an expert to use our outdoor kitchens, but all your friends and family will think you are!

MABi805 Grill

- ◆ Stainless steel 6 burner built-in grill with infrared rear burner.
- ◆ Heavy duty rotisserie kit.
- ◆ Full lighting system.
- ◆ Can be converted to natural gas.
- ◆ 4 burner also available.



MAGR Cast Iron Griddle Plate



MAPZ Pizza Oven with stainless steel finish



MAi805-D Deluxe Island

- ◆ Stainless steel 6 burner island with white waterfall granite cabinets.
- ◆ Infrared rear and side burners.
- ◆ Grill rotisserie kit and full lighting system.
- ◆ Colour-changing on / off LED controls.
- ◆ Granite chopping board.
- ◆ Can be converted to natural gas.
- ◆ Wheels and levelling feet for easy manoeuvring and siting.



MA-957 Island

- ◆ Black and stainless steel 4 burner island with powder coated steel sides and back.
- ◆ Infrared rear burner.
- ◆ Grill includes a rotisserie kit, chopping board and weather cover.
- ◆ Colour-changing on / off LED controls.
- ◆ Can be converted to natural gas.
- ◆ Lockable wheels for easy manoeuvring and siting.



MASF-SS Beverage Centre

- ◆ Stainless steel sink and fridge unit.
- ◆ Lockable fridge.
- ◆ Stylish blue LED lighting.
- ◆ Can be standalone or used with any stainless steel Mont Alpi island.
- ◆ Wheels and levelling feet for easy manoeuvring and siting.



Mont Alpi

Peak Performance

Outdoor Kitchens

MABi400 Grill

- ◆ Stainless steel 4 burner built-in grill with infrared rear burner.
- ◆ Heavy duty rotisserie kit.
- ◆ Full lighting system.
- ◆ Can be converted to natural gas.



MASFM-SS Fridge

- ◆ Stainless steel, lockable fridge unit.
- ◆ Stylish blue LED lighting.
- ◆ Can be standalone or used with any stainless steel Mont Alpi island.
- ◆ Wheels and levelling feet for easy manoeuvring and siting.



MASB Side Burner Pizza Oven





MAi805-DFC Deluxe Island with Fridge

- ◆ Stainless steel 6 burner island with white waterfall granite cabinet.
- ◆ Integrated, lockable fridge.
- ◆ Infrared rear and side burners.
- ◆ Grill rotisserie kit and full lighting system.
- ◆ Colour-changing on / off LED controls.
- ◆ Granite chopping board.
- ◆ Can be converted to natural gas.
- ◆ Wheels and levelling feet for easy manoeuvring and siting.



MAi805-BSS Black Island

- ◆ Stainless steel 6 burner island with white topped cabinets.
- ◆ Infrared rear and side burners.
- ◆ Grill with full lighting system.
- ◆ Colour-changing on / off LED controls.
- ◆ Can be converted to natural gas.



MA90C 90° Angle Corner Unit (45° Angle Corner Unit also available)

Cleaning made easy!

To help keep your Mont Alpi appliances in top condition, we offer a powerful, fast-acting BBQ and Oven Cleaner - specially developed by Celuplast in collaboration with Frogsuit®.

See page 31 for more details.



Artificial Grass

Durable, high performance, natural-look artificial grass for the perfect lawn all year round.

Celuplast Artificial Grass transforms any garden, outdoor play area or open space with the perfect lawn – maintenance-free!

Artificial Grass not only looks great and feels real, it's made to last. Manufactured using the latest technology, Celuplast Artificial Grass only uses base materials that are durable and don't contain organic matter which can rot over time.

With three pile heights available, in two widths, you can choose the one most suited to your requirements.

- ◆ Better. Natural appearance and eco-friendly – conserves water.
- ◆ Faster. Quick and easy to install.
- ◆ Safer. Child and pet friendly, no more mud.
- ◆ UV-resistant, hard wearing and maintenance-free – no mowing or fertilising necessary.



Luxury
40 mm Green



Cleaning made easy!

To easily remove spots and spillages, we offer a safe, fragranced Artificial Grass Cleaner - specially developed by Celuplast in collaboration with Frogsuit®.

See page 31 for more details.



Natural Look
and Feel



Quick and Easy
Installation



Easy to Clean
and Maintain



Eco-friendly
Solution

Artificial Grass Installation

Installing is quick and easy. A choice of coverage sizes and thicknesses ensures you can select the optimum solution for your project.

Our accessories are designed to work with Artificial Grass so we can supply everything you need to lay the perfect lawn.


Additional Accessories available:

- ◆ Weed control fabric 100g, 1 m x 5 m
- ◆ Weed control fabric 100g, 2 m x 25 m
- ◆ Geotextile 90g 1.82 m x 15.25 m
- ◆ Artificial grass brush
- ◆ Butyl tape 15 cm x 5 m
- ◆ Double-sided joint tape 5 cm x 10 m
- ◆ Frogsuit® artificial grass cleaner




Roll sizes: 1 m x 4 m and 2 m x 4 m.
Pile heights: 22 mm or 30 mm.

Large roll sizes: 2 m x 25 m and 4 m x 25 m.
Pile height: 40 mm.



Grass Fixing Pins
3 mm x 150 mm



SafetyGrass Rubber Matting

Durable, non-slip, impact absorbing matting for heavily trafficked and hazardous areas.

Celuplast SafetyGrass rubber matting is ideal for grassed sites and walkways requiring extra protection from heavy traffic and erosion - either laying on solid surfaces or disappearing from view on grassed areas.

Celuplast SafetyGrass allows grass to grow through 25mm holes while providing efficient drainage. Hardwearing, resistant to all weather and extreme temperatures, SafetyGrass can be laid on flat or contoured surfaces, with little or no groundwork necessary. Once the grass has grown through, it can be cut with a conventional lawnmower.

SafetyGrass is also ideal for safety protection on hazardous hard surfaces, providing a slip resistant, impact absorbing barrier.

- ◆ Better. Affordable, maintenance-free and durable safety solution.
- ◆ Faster. Quick and simple to install and easily shaped around existing structures.
- ◆ Safer. Non-slip and impact absorbing.
- ◆ Manufactured from recycled rubber.
- ◆ Fully tested and compliant to EN 1177 and BS 7188.




Quick and Easy
Installation



Slip
Resistant



Eco-friendly
Solution



Mat size:
1 m x 1.5 m
22 mm thick



Mat size:
1 m x 1 m
16 mm thick

Accessories



SafetyGrass Pegs
(recommend 4 per mat)



Cable Ties
(recommend 4 per mat)





*“Enhanced safety,
natural finish.”*



BarrierMat Heavy Duty Matting

A range of easy-clean, durable and non-slip rubber mats for a wide variety of applications.

- ◆ Ideal for use in entrances as the first line of defense against muddy footwear.
- ◆ The raised ribs assist in scraping off mud and other debris from footwear.
- ◆ Perfect for use in wet outdoor applications.
- ◆ Tapered edges prevent tripping hazards.
- ◆ Suitable for domestic, commercial and industrial settings.



Scraper Mat
90 cm x 150 cm x 1.2 cm



Ring Ramp Mat
90 cm x 150 cm x 1.2 cm



Wave Mat
90 cm x 150 cm x 1.2 cm



Quick and Easy
Installation



Scuff and
Stain Resistant



Slip
Resistant



Fingertip Mat
90 cm x 150 cm x 1.4 cm



Bubble Mat /
Anti-fatigue Mat
90 cm x 150 cm x 1.2 cm



*"Countless solutions
in one simple, durable
product."*



RubberLok Utility Mat

Heavy duty, non-slip floor protection mat for a wide range of applications.

RubberLok utility mats are ideal for a wide range of applications from anti-vibration mats for domestic appliances to floor protection during construction.



- ◆ Better. Highly resilient, made from 100% recycled material
- ◆ Safer. Heavy duty and non-slip
- ◆ Anti-vibration mat for domestic appliances
- ◆ Ideal for floor protection during construction
- ◆ Mat size - 600 x 600 x 8 mm



Easy to cut to shape

 <p>Quick and Easy Installation</p>	 <p>Eco-friendly Solution</p>	 <p>Scuff and Stain Resistant</p>	 <p>Slip Resistant</p>	 <p>No Glue Required</p>
--	--	--	---	---

RubberLok Safety Tiles


Celuplast RubberLok Safety Tiles provide safe, shock-absorbant surfacing for areas requiring long-lasting impact protection.

- ◆ Better. Highly durable, 100% recycled material.
- ◆ Faster. Quick and easy to install, less site labour costs.
- ◆ Superb drainage and water permeability.
- ◆ Allows tile replacement in high use areas.
- ◆ Tested and approved.



RubberLok Safety Tiles guarantee the highest safety standards for playgrounds, where children jump or fall to the ground by attenuating the impact and therefore reducing risk of injury.

The system is also an effective safety covering for nursing homes, recreational areas, school yards, gymnasiums, climbing facilities, walkways and equestrian facilities.



Size: 500 mm x 500 mm.
Thickness: 30 mm



Water
Resistant



Quick and Easy
Installation



Slip
Resistant



Easy to Clean
and Maintain




Eco-friendly
Solution

RubberLok Safety Tiles are quick and easy to install, using a simple interlocking dowel method and requiring minimal groundwork preparation.

For full installation instructions, please visit: guardianbp.co.uk/rubberlok or for further information contact our office.

Correct 'T' joint laydown



"Install up to 100m² better, faster and cheaper than poured flooring."

Tiles are easily cut and trimmed using a heavy duty cutting knife

Align tiles using dowels to form 'T' joints

Superb drainage and water permeability

Levelled / compacted crushed stone chippings or sand

Direction of lay

GrassGrid Ground Reinforcement


Interlocking cellular grid system for grass and ground reinforcement applications where there is regular pedestrian or vehicle use.

Celuplast GrassGrid can be installed with either a grass, chippings or gravel filled surface to allow rainwater penetration and is a cost-effective solution to worn grassed areas, displaced gravel and surface water run-off.


GrassGrid is simple to install and features integral interlocking hooks on each grid for quick and easy connection. 8 pins on the underside of each grid ensure anchorage stability and the open cell structure provides a high drainage capacity and allows unrestricted grass growth.

GrassGrid's open cell structure is designed for irrigation hosing with the capacity to connect hoses every 400 mm for increased coverage.

- ◆ Suitable for grass and gravel car parks, overflow car parks, pedestrian walkways, wheelchair and disabled access routes, golf buggy paths and other access requirements.
- ◆ Quick and easy installation.
- ◆ 800 mm x 400 mm and 40 mm in depth providing coverage of 0.32 m² per grid.
- ◆ High water drainage capacity and designed for irrigation hosing.
- ◆ Interlinked, open cell structure is ideal for grass growth.



Installation



- ◆ Create a uniform, porous base. Cast sand mixed with gravel is recommended.
- ◆ Install the hoses (if required) in predetermined positions prior to installation of the first grid of the first row.
- ◆ Before installing the grid, locate the collector pipe 400mm from each hose to be installed under the grid. Micro-perforated hose is recommended.
- ◆ Install subsequent grids following the method shown above.
- ◆ Evenly distribute sand across the installed GrassGrid system.
- ◆ Generously water with a hose and via the irrigation system to level the layer of sand. Seed as required.
- ◆ Avoid vehicular traffic until grass has grown over the GrassGrid system.

Dakota Drainage Systems

A range of linear drainage channels for safe collection and diversion of rainwater.

Designed and reinforced for durability and functionality, these polypropylene channels are supplied black in colour and pre-assembled with a choice of polypropylene or galvanised steel grating.

- ◆ Suitable for pedestrian or very light trafficked areas - gardens, patios and driveways.
- ◆ A15 loading class compliant according to BS EN 124: 2015.
- ◆ 1 metre in length x 121 mm wide and 84 mm in depth.
- ◆ End caps (terminals) and adapters (for increased flow) available.




DAKOTA™

Frogsuit® Garden Products

The award-winning Frogsuit® portfolio of quality protection and cleaning solutions has been specially developed for your garden fencing, decking, furniture and appliances.

Available in four distinct ranges: Wood Protection, Decking Oils, Domestic Cleaners and Outdoor Cleaners.



Wood Protection

Protector vs preservative: 'Protector' protects against elements, 'preservative' against wood boring insects and fungal decay. Frogsuit includes fungal treatment and linseed (insects generally do not like linseed).



Wood Protector

For garden furniture and all outdoor wood.

- ◆ Non-flaking and non-peeling.
- ◆ Water repellent.
- ◆ Available in Dark Oak or Clear, 500 ml.
- ◆ Contains UV filters to help prevent weathering.
- ◆ Helps prevent fungal attack.
- ◆ Ease of use - trigger spray application, no brush required.
- ◆ Child resistant cap.



Shed and Fence Protector

For wooden sheds, summerhouses and fencing.


- ◆ Non-flaking and non-peeling.
- ◆ Oil-based and water repellent.
- ◆ Available in Clear or Dark.
- ◆ Contains UV filters to help prevent weathering.
- ◆ Nourishes timber.



Wood Restorer

For garden furniture and all outdoor wood.

- ◆ Removes surface grey, restoring natural wood colour.
- ◆ Fast acting, deep penetrating formula.
- ◆ Easy to use gel, suitable for both vertical and horizontal surfaces.
- ◆ Can be used on softwood and hardwood.
- ◆ One coat required, provides coverage of 10m².




Decking Oil



Anti-slip Decking Oil

For all types of wood decking.

- ◆ Nourishes and protects against UV.
- ◆ Non-flaking and non-peeling.
- ◆ Protects against splits and cracks.
- ◆ Available in Clear or Dark in either 2.5 litre or 5 litre sizes.
- ◆ Water beads.
- ◆ Anti-slip additive available.
- ◆ Harmless to pets and plants once dry.



Frogsuit® Garden Products

Domestic Cleaners



Power Cleaner

Universal degreaser.

- ◆ Suitable for both outdoor and indoor use.
- ◆ Powerful and fast acting kitchen and bathroom cleaner.
- ◆ Removes ink, lipstick, blood, stickers, etc.
- ◆ Ease of use - trigger spray application, no brush required.
- ◆ Child resistant cap.



UPVC Restorer

For windows, doors and all white uPVC.

- ◆ Non-abrasive and fast acting.
- ◆ Whitens, revives and protects.
- ◆ Effective on uPVC guttering, cladding and white PVC furniture.
- ◆ Ease of use - trigger spray application, no brush required.

Outdoor Cleaners



BBQ and Oven Cleaner

Universal degreaser.

- ◆ Suitable for BBQs, grills and ovens, both outdoor and indoor.
- ◆ Wipe clean.
- ◆ Powerful and fast acting.
- ◆ Ease of use - trigger spray application, no brush required.
- ◆ Bio-degradable.



Fabric Protector

For all fabrics.

- ◆ Water repellent / hydrophobic.
- ◆ UV protection.
- ◆ Stain resistant - spillages are easier to clean up.
- ◆ Ease of use - trigger spray application, no brush required.
- ◆ Child resistant cap.



Rattan Cleaner

For use on rattan and PVC garden furniture.

- ◆ Gentle yet powerful.
- ◆ Removes stains and ideal for spot cleaning.
- ◆ Removes mud, grass stains and bird lime.
- ◆ Ease of use - trigger spray application, no brush required.
- ◆ Child resistant cap.



Composite Decking Cleaner

Cleaner and degreaser.

- ◆ Non-abrasive and fast acting.
- ◆ Removes tough stains, surface dirt and bird lime.
- ◆ Revitalises and enhances.
- ◆ Ease of use - trigger spray application, no brush required.



Artificial Grass Cleaner

Grass fragranced cleaner.

- ◆ Spot cleaner - easily removes spillages and animal deposits.
- ◆ Ease of use - trigger spray application, no brush required.
- ◆ Suitable for use on 3G pitches.
- ◆ Harmless to pets and plants once dry.



Roofing & Cladding Solutions

- ◆ Guardian Roof Slate
- ◆ Guardian Esprit Roof Shingle
- ◆ Soffits & Trims
- ◆ Exterior Cladding
- ◆ Gutter Brush

Landscape Solutions

- ◆ Composite Decking & Railings
- ◆ Composite Fencing
- ◆ Artificial Grass
- ◆ SafetyGrass Rubber Matting
- ◆ GrassGrid Ground Reinforcement
- ◆ RubberLok Safety Tiles
- ◆ RubberLok Utility Mats
- ◆ Barrier Mats
- ◆ Drainage Systems
- ◆ Mont Alpi Outdoor Kitchens
- ◆ Frogsuit® Cleaners & Wood Protectors
- ◆ Domestic Matting

Flooring Solutions

- ◆ Clever Click Luxury Vinyl Flooring
- ◆ Tiles & Timber
- ◆ Accessories & Trims
- ◆ RubberLok Utility Mats
- ◆ Floor Protector

Interior Solutions

- ◆ Decorative Wall & Ceiling Cladding
- ◆ Accessories & Trims
- ◆ Hygienic PVC Sheets
- ◆ Skirting & Architrave
- ◆ Window Boards & Trims



Celuplast Ltd (Ireland)

Tel: (01) 832 6210 Email: info@celuplast.com

www.celuplast.com

